
## Reporting Compromised Doses in MCIR

- MCIR records vaccine doses that have been administered as being compromised.
- This function is only available to local health departments and Michigan Department of Health and Human Services (MDHHS) level access in MCIR.
- All Immunizing Providers should be informed to report any compromised doses to their local health department
   <a href="https://www.michigan.gov/mdhhs/inside-mdhhs/county-offices/lhd">https://www.michigan.gov/mdhhs/inside-mdhhs/county-offices/lhd</a> for recording on the MCIR record of the
   individual that has received a compromised dose. Revised 11.15.2022
- 1. Access the client's record, then click on the **History** link, (Figure 1).



2. Click directly on the identified dose that has been reported as compromised, (Figure 2).




Figure 2

- 3. The compromised vaccine status options display below the vaccine details. The default is **Dose has not been compromised, marked.** 
  - \*Note\* A new selection has been added to the MCIR, (11-2022 MCIR System Release), Vaccine Efficacy Concerns (doses NOT valid): Vaccine may not be used in the United States for protection, (Figure 3).




Figure 3

- 4. Choose and click the radio button to the left of the applicable Status.
- 5. Click Submit, (Figure 3).

6. After a dose has been marked as compromised the **History** screen will display a "Y" button, hover over the "Y" button to display the description of the compromised dose, (Figure 4)




Figure 4

## **Compromised Vaccine Status Definitions**

VALUE	DISPLAY NAME	DEFINITION
VACERR NV Non-valid Dose	Vaccine Admin Error	The vaccine was administered incorrectly, does not count towards protection as a valid dose and must be repeated.  Examples:  • Varicella dose given prior to one year of age.  • Tdap given less than 7 years of age and dose 1,2 or 3 of series
VACERR V (valid dose)	vaccine admin error	does not count.  The vaccine was administered incorrectly but counts toward protection (valid dose) and does not need to be repeated.  Example:  • DTaP given to 11 year old, to 2 year old, counts as valid dose.
VACEFF	vaccine efficacy concerns	The intended vaccine has expired or is otherwise believed to no longer be effective. Vaccine must be repeated.  Example:  Expired or compromised due to inappropriate temperature exposure.